



USB 3.1 Gen 1 Card Readers **RDF8**

Unleash the full potential of your high-speed memory cards with Transcend's RDF8 card reader. By supporting SDXC/SDHC UHS-I, microSDXC/SDHC UHS-I and CompactFlash memory cards, Transcend's RDF8 card reader combined with the performance boost of advanced USB 3.1 Gen 1 technology is the professional's choice for fast and efficient data transfer.



Compact Power

The RDF8 is a multi-slot card reader that supports a wide range of interfaces. This card reader gives you powerful data transfer in the palm of your hand. Measuring just under 67.6 mm in length, this card reader is small enough to slip into your pocket or briefcase for superior convenience. Because it's easy to carry, you can transfer your most important files anytime, anywhere.



Unmatched Versatility

Unmatched Versatility Transcend's RDF8 offers efficient data transfer, no matter your platform or devices. It features a USB 3.1 Gen 1 interface and is also backward compatible with USB 2.0. Fully supporting all major memory cards, the RDF8 can handle virtually any data transfer.



Additional Features

The RDF8 is ideal for quickly transferring high-resolution images and video recordings to your computer. You can even plug in two cards at once with this multi-slot reader. A convenient LED indicator shows card insertion and data transfer activity. This card reader also supports SD and CF built-in security functions.



USB 3.1 Gen 1 Card Readers

RDF8

Features

- USB 3.1 Gen 1 interface
- Compact and portable design
- Multifunctional card reader with SD, microSD, and CompactFlash card slots
- Transfer high-resolution images and video recordings to your computer faster and more efficiently
- Download the RecoveRx data recovery software from Transcend's official website



RecoveRx software

Transcend's RDF8 card reader comes with RecoveRx software – a user-friendly application that allows you to conduct an in-depth search within your storage device for traces of erased data that can be recovered. Supported devices include memory cards, USB flash drives, digital music players, external hard drives, and solid state drives.

Specifications

Appearance

| | |
|-------------------|---|
| Dimensions (Max.) | 67.6 mm x 45 mm x 15.2 mm (2.66" x 1.77" x 0.60") |
| Weight (Max.) | 32 g (1.13 oz) |
| Color | Black/White |

Interface

| | |
|----------------------|-------------------------|
| USB Type | micro USB to USB Type A |
| Connection Interface | USB 3.1 Gen 1 |

Hardware

| | |
|---------------------|--------------------------|
| Card Reader Slot(s) | SD /microSD/CompactFlash |
|---------------------|--------------------------|

Operating Environment

| | |
|-----------------------|--|
| Operating Temperature | 0°C (32°F) ~ 70°C (158°F) |
| Operating Voltage | 5V |
| Note | Simultaneous insertion of two cards not supported. |

Performance

| | |
|------|---|
| Note | Speed may vary due to host hardware, software, usage, and storage capacity. |
|------|---|

Warranty

| | |
|-------------|---------------------------|
| Certificate | CE/FCC/BSMI/KC |
| Warranty | Two-year Limited Warranty |

System Requirement

| | |
|------------------|--|
| Operating System | Microsoft Windows 7 Microsoft Windows 8 Microsoft Windows 10 Mac OS X 10.2.8 or later Linux Kernel 2.6.30 or later |
|------------------|--|

Compatibility

| | |
|-----------------------|--|
| Memory Card Supported | SDHC (UHS-I)/SDXC (UHS-I) microSDHC (UHS-I)/microSDXC (UHS-I) CompactFlash (UDMA7) |
| Note | This card reader will work with UHS-II cards, but only operates at UHS-I speeds. |

Ordering Information

| | |
|-----------|-------|
| TS-RDF8K2 | Black |
| TS-RDF8W2 | White |

Product specifications are subject to change without notice. Pictures shown may differ from actual products. When used as a storage capacity unit, one terabyte (TB) = one trillion bytes. Total accessible capacity varies depending on operating environment.

USB 3.1 Gen 1 Card Readers Comparison



RDC8



RDF9



RDF2



RDF8



RDF5

Appearance

| | | | | | |
|-------------------|--|------------------|----------------|----------------|---|
| Dimensions (Max.) | 67.6 mm x 45 mm x 15.2 mm (2.66" x 1.77" x 0.60") | | | | 56 mm x 24 mm x 8.9 mm (2.20" x 0.94" x 0.35") |
| Weight (Max.) | 32 g (1.13 oz) | 30.6 g (1.08 oz) | 26 g (0.91 oz) | 32 g (1.13 oz) | 18 g (0.63 oz) |
| Color | Black | Black | Black | Black/White | Black/White/Pink |

Interface

| | | | | | |
|----------------------|-------------------------|-------------------------|--|------------|--|
| USB Type | micro USB to USB Type C | micro USB to USB Type A | | USB Type-A | |
| Connection Interface | USB 3.1 Gen 1 | | | | |

Hardware

| | | | | | |
|---------------------|-------------------------|-------------------------|-------|-------------------------|------------|
| Card Reader Slot(s) | SD/microSD CompactFlash | SD/microSD CompactFlash | CFast | SD/microSD CompactFlash | SD/microSD |
|---------------------|-------------------------|-------------------------|-------|-------------------------|------------|

Warranty

| | | | | | |
|----------|---------------------------|--|--|--|--|
| Warranty | Two-year Limited Warranty | | | | |
|----------|---------------------------|--|--|--|--|

Compatibility

| | | | | | |
|------------------------------|--|--|-----------|--|--|
| Memory Card Supported | SDHC (UHS-I) SDXC (UHS-I) microSDHC (UHS-I) microSDXC (UHS-I) CompactFlash (UDMA7) | SDHC (UHS-II) SDXC (UHS-II) SDHC (UHS-I) SDXC (UHS-I) microSDHC (UHS-I) microSDXC (UHS-I) CompactFlash (UDMA6) CompactFlash (UDMA7) | CFast 2.0 | SDHC (UHS-I) SDXC (UHS-I) microSDHC (UHS-I) microSDXC (UHS-I) CompactFlash (UDMA7) | SDHC (UHS-I) SDXC (UHS-I) microSDHC (UHS-I) microSDXC (UHS-I) |
| SD UHS-II | - | ✓ | - | - | - |
| SD UHS-I and below | ✓ | ✓ | - | ✓ | ✓ |
| microSD UHS-I and below | ✓ | ✓ | - | ✓ | ✓ |
| CompactFlash UDMA5 and below | ✓ | ✓ | - | ✓ | - |
| CompactFlash UDMA7 & UDMA6 | ✓ | ✓ | - | ✓ | - |
| CFast 2.0 and below | - | - | ✓ | - | - |

Note: Simultaneous insertion of two cards not supported.