





# Sony high-sensitivity image sensor

Transcend's DrivePro Body 10 features a Sony image sensor to capture high-resolution video and photos with superb, rich color. Even in low light, images are highly detailed with low noise and excellent dynamic range.



### Infrared LEDs for night vision

Transcend's DrivePro Body 10 has four no-glow (940nm wavelength) infrared LEDs that automatically turn on in dim light to enhance night vision capabilities. This drastically increases recording quality in pitch-black darkness.



#### **Built-in battery**

With a built-in Li-Polymer battery, the DrivePro Body 10 can record up to 5 hours of footage on a full charge, mitigating the need for a power adapter for police officers on duty. Recording time may differ based on environmental conditions and operation settings (e.g. enabling infrared LEDs).





### **Body Cameras**

## DrivePro™ Body 10

#### **Features**

- · High sensitivity image sensor
- · Infrared LEDs for night vision
- · 130° wide FOV
- · Quick snapshot button
- · A 32GB microSD memory card included



### DrivePro Body Toolbox

Transcend's DrivePro Body Toolbox is exclusively designed for the DrivePro Body series, featuring a user-friendly interface that allows users to securely manage recorded videos and snapshots on Windows PCs. In addition, users can adjust settings for both the toolbox and the DrivePro Body device, format the internal storage, and upgrade the body camera's firmware via the toolbox.

### Specification

**Appearance** 

Dimensions (Max.) 88.4 mm x 52.2 mm x 19.6 mm (3.48" x 2.06" x 0.77")

Weight (Max.) 88 g (3.10 oz)

Interface

USB Type micro USB to USB Type A

Connection Interface USB 2.0

Storage

Capacity 32 GB

Hardware

Viewing angle 130° (diagonal)

Aperture F/2.8

Power

Battery Life (Fully Charged) 5 hour(s)

Power Supply (Max.) Input: AC 100V-240V, 50-60Hz, 0.4A

Output: DC 5V / 2A

Format

Resolution Full HD 1080P

Frame Rate 30 fps

Video Format MP4 (H.264)

**Operating Environment** 

Operating Temperature  $-20^{\circ}\text{C} (-4^{\circ}\text{F}) \sim 65^{\circ}\text{C} (149^{\circ}\text{F})$ Storage Temperature  $-25^{\circ}\text{C} (-13^{\circ}\text{F}) \sim 70^{\circ}\text{C} (158^{\circ}\text{F})$ 

IP Rating IPX4

Warranty

Certificate CE/FCC/BSMI

Warranty Two-year Limited Warranty

Ordering Information

32GB TS32GDPB10B



# Body Cameras Comparison







DrivePro™ Body 30



DrivePro™ Body 52



DrivePro™ Body 20



DrivePro™ Body 10

	Driver to Body oo	Dilverio Body 50	Dilverio Body 32	Dilverio Body 20	Dilverio body to
Appearance					
Dimensions (Max.)	95.9 mm x 52.2 mm x 24.9 mm (3.78" x 2.06" x 0.98")	95.9 mm x 52.2 mm x 27.6 mm (3.78" x 2.06" x 1.09")	88.4 mm x 52.2 mm x 17.4 mm (3.48" x 2.06" x 0.68")	88.4 mm x 52.2 mm x 19.4 mm (3.48" x 2.06" x 0.76")	88.4 mm x 52.2 mm x 19.6 mm (3.48" x 2.06" x 0.77")
Camera Dimensions (Max.)	61.3 mm x 22 mm x 22 mm (2.41" x 0.87" x 0.87")	-	40 mm x 40 mm x 20.35 mm (1.57" x 1.57" x 0.80")	-	-
Weight (Max.)	167 g (5.89 oz)	130 g (4.59 oz)	84 g (2.96 oz)	88 g (3.10 oz)	88 g (3.10 oz)
Camera Weight (Max.)	-	-	64 g (2.26 oz)	-	-
Interface					
USB Type	3.5mm plug to USB Type A	micro USB to USB Type A			
Connection Interface			USB 2.0		
Storage					
Capacity	64GB internal memory	64GB internal memory	32GB internal memory	32GB internal memory	32GB
Hardware					
Viewing angle	130° (diagonal)	130° (diagonal)	130° (diagonal)	160° (diagonal)	130° (diagonal)
Aperture	F/2.8	F/2.0	F/1.8	F/2.8	F/2.8
Sony Image Sensor	<b>✓</b>	✓	✓	-	<b>~</b>
Infrared LEDs	-	✓	-	-	<b>✓</b>
Wi-Fi	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>	-
Bluetooth	~	<b>~</b>	-	-	-
Microphone	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	~
Vibration Alert	<b>✓</b>	✓	-	-	-
Buffering Mode	~	<b>~</b>	-	-	-
Event Recording	-	-	<b>✓</b>	<b>✓</b>	<b>✓</b>
Loop Recording	<b>✓</b>	~	~	<b>✓</b>	~
Power					
Battery Life (Fully Charged)	10 hour(s)	12 hour(s)	3.5 hour(s)	3.5 hour(s)	5 hour(s)
Power Supply (Max.)	Input: AC 100V-240V, 50-60Hz, 0.4A Output: DC 5V / 2A				
Format					
Resolution	Full HD 1080P				
Frame Rate	30 fps				
Video Format	MP4 (H.264)	MOV (H.264)	MOV (H.264)	MOV (H.264)	MP4 (H.264)
Operating Environment					
IP Rating	IP67	IP67	IPX4	IPX4	IPX4
Warranty					
Warranty	Two-year Limited Warranty				
	,,				