

www.transcend-info.com

Body Cameras DrivePro[™] Body 10

Transcend's DrivePro Body 10 is the best companion for police officers, security guards and other professionals. The camera uses STARVIS[™] high-sensitivity image sensor, high-quality lens, and automatic infrared illumination that ensure all the important details of actions are clearly recorded. The DrivePro Body 10 also features a built-in battery and excellent water and shock resistance, making it ideal for indoor and outdoor use.



STARVIS[™] high-sensitivity image sensor

Transcend's DrivePro Body 10 features the STARVIS[™] high-sensitivity image sensor to capture high-resolution video and photos with superb, rich color. Even in low light, images are highly detailed with low noise and excellent dynamic range.



Infrared LEDs for night vision

Transcend's DrivePro Body 10 has four no-glow (940nm wavelength) infrared LEDs that automatically turn on in dim light to enhance night vision capabilities. This drastically increases recording quality in pitch-black darkness.



Built-in battery

With a built-in Li-Polymer battery, the DrivePro Body 10 can record up to 5 hours of footage on a full charge, mitigating the need for a power adapter for police officers on duty.





Body Cameras DrivePro[™] Body 10

Features

- \cdot STARVIS high-sensitivity image sensor
- \cdot Infrared LEDs for night vision
- 130° wide FOV
- \cdot Quick snapshot button
- · A 32GB microSD memory card included

Specification

Appearance	
Dimensions (Max.)	88.4 mm x 52.2 mm x 19.6 mm (3.48" x 2.06" x 0.77")
Weight (Max.)	88 g (3.10 oz)
Interface	
USB Туре	micro USB to USB Type A
Connection Interface	USB 2.0
Storage	
Capacity	32 GB
Hardware	
Viewing angle	130° (diagonal)
Aperture	F/2.8
Power	
Battery Life (Fully Charged)	5 hour(s)
Power Supply (Max.)	Input: AC 100V-240V, 50-60Hz, 0.4A Output: DC 5V / 2A
Format	
Resolution	Full HD 1080P
Frame Rate	30/60fps
Video Format	MP4 (H.264)
Operating Environmer	nt
	-20°C (-4°F) ~ 65°C (149°F)
Operating Temperature	
Storage Temperature	-25°C (-13°F) ~ 70°C (158°F)

\square

Transcend

DrivePro Body Toolbox

Transcend's DrivePro Body Toolbox is exclusively designed for the DrivePro Body series, featuring a user-friendly interface that allows users to securely manage recorded videos and snapshots on Windows PCs. In addition, users can adjust settings for both the toolbox and the DrivePro Body device, format the internal storage, and upgrade the body camera's firmware via the toolbox.

Ordering Information

Certificate

Warranty

32GB TS32GDPB10B	
------------------	--

Two-year Limited Warranty

CE/FCC/BSMI



Body Cameras Comparison













DrivePro[™] Body 60

DrivePro[™] Body 30

DrivePro[™] Body 52

ody 52 DrivePro[™] Body 20

20 DrivePro[™] Body 10

Appearance							
Dimensions (Max.)	95.9 mm x 52.2 mm x 24.9 mm (3.78" x 2.06" x 0.98")	95.9 mm x 52.2 mm x 27.6 mm (3.78" x 2.06" x 1.09")	88.4 mm x 52.2 mm x 17.4 mm (3.48" x 2.06" x 0.68")	88.4 mm x 52.2 mm x 19.4 mm (3.48" x 2.06" x 0.76")	88.4 mm x 52.2 mm x 19.6 mm (3.48" x 2.06" x 0.77")		
Camera Dimensions (Max.)	61.3 mm x 22 mm x 22 mm (2.41" x 0.87" x 0.87")	4	40 mm x 40 mm x 20.35 mm (1.57" x 1.57" x 0.80")		¥		
Weight (Max.)	167 g (5.89 oz)	130 g (4.59 oz)	84 g (2.96 oz)	88 g (3.10 oz)	88 g (3.10 oz)		
Camera Weight (Max.)	÷	÷	64 g (2.26 oz)		÷		
Interface							
USB Type	3.5mm plug to USB Type A	micro USB to USB Type A					
Connection Interface			USB 2.0				
Storage							
Capacity	64GB internal memory	64GB internal memory	32GB internal memory	32GB internal memory	32GB		
Hardware							
Viewing angle	130° (diagonal)	130° (diagonal)	130° (diagonal)	160° (diagonal)	130° (diagonal)		
Aperture	F/2.8	F/2.0	F/1.8	F/2.8	F/2.8		
Image Sensor	EXMOR™	EXMOR™	EXMOR™	Aptina	STARVIS™		
Infrared LEDs	1 <u>m</u>	\checkmark		2 4	\checkmark		
Wi-Fi	\checkmark	\checkmark	\checkmark	\checkmark	¥(
Bluetooth	\checkmark	\checkmark	-	-	Ξ.		
Microphone	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark		
Vibration Alert	\checkmark	\checkmark	-		-		
Buffering Mode	~	\checkmark	1. .				
Event Recording	-	.=.:	\checkmark	\checkmark	\checkmark		
Loop Recording	~	\checkmark	~	~	\checkmark		
Power							
Battery Life (Fully Charged)	10 hour(s)	12 hour(s)	3.5 hour(s)	3.5 hour(s)	5 hour(s)		
Power Supply (Max.)	Input: AC 100V-240V, 50-60Hz, 0.4A Output: DC 5V / 2A						
Format							
Resolution	Full HD 1080P						
Frame Rate			30 fps		30/60 fps		
Video Format	MP4 (H.264)	MOV (H.264)	MOV (H.264)	MOV (H.264)	MP4 (H.264)		
Operating Environment							
IP Rating	IP67	IP67	IPX4	IPX4	IPX4		
Warranty							
Warranty	Two-year Limited Warranty						

Note: EXMOR/STARVIS is a trademark of Sony Corporation.