



Body Cameras

## DrivePro™ Body 30

Transcend's DrivePro Body 30 features STARVIS™ image sensor and infrared LEDs to capture high-resolution images in low light. 12 hours of battery, high storage capacity, and high resistance to water, dust, and shock are ideal for public safety professionals. The package also includes useful accessories and value-added software that facilitate users in using the device and managing the files.



### STARVIS™ High-sensitivity Image Sensor

The DrivePro Body 30 features STARVIS™ sensor to capture high-resolution images with superb, rich color even in low light. Images are highly detailed with low noise and excellent balance between light and dark areas.



### Infrared LEDs for Night Vision

The DrivePro Body 30 has four infrared LEDs that will automatically turn on in dim light to enhance night vision capabilities. This can drastically increase recording quality in pitch-black darkness.



### Image Enhancement Technology

DrivePro Body 30 features image enhancement technologies such as Wide Dynamic Range (WDR) and High Frame Rate (HFR) technologies, supporting high-quality recording at 60fps. Essential details can still be presented even in low, dim light.



## Body Cameras

# DrivePro™ Body 30

### Features

- High sensitivity STARVIS™ image sensor
- Infrared LEDs for night vision
- Built-in 12-hour battery for long recording time
- Compliant with IP67 and U.S. military standards to be dust-proof, waterproof, and shock resistant
- Image enhancement technology
- Exclusive software/app for easy management
- 2-year limited warranty




### DrivePro Body Toolbox

Transcend's DrivePro Body Toolbox is exclusively designed for the DrivePro Body series, featuring a user-friendly interface that allows users to securely manage recorded videos and snapshots on Windows PCs. In addition, users can adjust settings for both the toolbox and the DrivePro Body device, format the internal storage, and upgrade the body camera's firmware via the toolbox.

### Specification

#### Appearance

Dimensions	95.9 mm x 52.2 mm x 27.6 mm (3.78" x 2.06" x 1.09")
Weight	130 g (4.59 oz)

#### Interface

USB Type	3.5mm plug to USB Type A
Connection Interface	USB 2.0

#### Storage

Capacity	64GB internal memory
----------	----------------------

#### Hardware

Viewing angle	130° (diagonal)
Aperture	F/2.0

#### Power

Battery Life (Fully Charged)	12 hour(s)
Power Supply (Max.)	Input: AC 100V-240V, 50-60Hz, 0.4A Output: DC 5V / 2A

#### Format

Resolution	Full HD 1080P
Frame Rate	60/30fps
Video Format	MP4 (H.264)

#### Operating Environment

Operating Temperature	-20°C (-4°F) ~ 65°C (149°F)
Storage Temperature	-25°C (-13°F) ~ 70°C (158°F)
IP Rating	IP67

#### Warranty

Certificate	CE / FCC / BSMI / KC / NCC / MIC / EAC / RCM
Warranty	Two-year Limited Warranty

### Ordering Information

64GB	TS64GDPB30A
------	-------------

## Body Cameras Comparison



DrivePro™ Body 60



DrivePro™ Body 30



DrivePro™ Body 52



DrivePro™ Body 20



DrivePro™ Body 10

### Appearance

Dimensions (Max.)	95.9 mm x 52.2 mm x 24.9 mm (3.78" x 2.06" x 0.98")	95.9 mm x 52.2 mm x 27.6 mm (3.78" x 2.06" x 1.09")	88.4 mm x 52.2 mm x 17.4 mm (3.48" x 2.06" x 0.68")	88.4 mm x 52.2 mm x 19.4 mm (3.48" x 2.06" x 0.76")	88.4 mm x 52.2 mm x 19.6 mm (3.48" x 2.06" x 0.77")
-------------------	--	--	--	--	--

Camera Dimensions (Max.)	61.3 mm x 22 mm x 22 mm (2.41" x 0.87" x 0.87")	-	40 mm x 40 mm x 20.35 mm (1.57" x 1.57" x 0.80")	-	-
--------------------------	--	---	---	---	---

Weight (Max.)	167 g (5.89 oz)	130 g (4.59 oz)	84 g (2.96 oz)	88 g (3.10 oz)	88 g (3.10 oz)
---------------	-----------------	-----------------	----------------	----------------	----------------

Camera Weight (Max.)	-	-	64 g (2.26 oz)	-	-
----------------------	---	---	----------------	---	---

### Interface

USB Type	3.5mm plug to USB Type A	3.5mm plug to USB Type A	3.5mm plug to USB Type A	3.5mm plug to USB Type A	micro USB to USB Type A
----------	--------------------------	--------------------------	--------------------------	--------------------------	-------------------------

Connection Interface	USB 2.0				
----------------------	---------	--	--	--	--

### Storage

Capacity	64GB internal memory	64GB internal memory	32GB internal memory	32GB internal memory	32GB
----------	----------------------	----------------------	----------------------	----------------------	------

### Hardware

Viewing angle	130° (diagonal)	130° (diagonal)	130° (diagonal)	160° (diagonal)	130° (diagonal)
---------------	-----------------	-----------------	-----------------	-----------------	-----------------

Aperture	F/2.8	F/2.0	F/1.8	F/2.8	F/2.8
----------	-------	-------	-------	-------	-------

Image Sensor	Exmor™	STARVIS™	Exmor™	Aptina™	STARVIS™
--------------	--------	----------	--------	---------	----------

Infrared LEDs	-	✓	-	-	✓
---------------	---	---	---	---	---

Wi-Fi	✓	✓	✓	✓	-
-------	---	---	---	---	---

Bluetooth	✓	✓	-	-	-
-----------	---	---	---	---	---

Microphone	✓	✓	✓	✓	✓
------------	---	---	---	---	---

Vibration Alert	✓	✓	-	-	-
-----------------	---	---	---	---	---

Buffering Mode	✓	✓	-	-	-
----------------	---	---	---	---	---

Event Recording	-	-	✓	✓	✓
-----------------	---	---	---	---	---

Loop Recording	✓	✓	✓	✓	✓
----------------	---	---	---	---	---

### Power

Battery Life (Fully Charged)	10 hour(s)	12 hour(s)	3.5 hour(s)	3.5 hour(s)	5 hour(s)
------------------------------	------------	------------	-------------	-------------	-----------

Power Supply (Max.)	Input: AC 100V-240V, 50-60Hz, 0.4A		Output: DC 5V / 2A		
---------------------	------------------------------------	--	--------------------	--	--

### Format

Resolution	Full HD 1080P				
------------	---------------	--	--	--	--

Frame Rate	30 fps	30/60 fps	30 fps	30 fps	30/60 fps
------------	--------	-----------	--------	--------	-----------

Video Format	MP4 (H.264)	MP4 (H.264)	MOV (H.264)	MOV (H.264)	MP4 (H.264)
--------------	-------------	-------------	-------------	-------------	-------------

### Operating Environment

IP Rating	IP67	IP67	IPX4	IPX4	IPX4
-----------	------	------	------	------	------

### Warranty

Warranty	Two-year Limited Warranty				
----------	---------------------------	--	--	--	--

Note: Exmor/STARVIS is a trademark of Sony Corporation. Aptina is a trademark of Aptina Imaging Corporation.